

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	63052	(ASID OR ASIDs OR (address ADJ space ADJ (identifier\$1 OR number\$1)) OR (process ADJ (identification\$1 OR ID OR IDs)) OR PID OR PIDs OR ASN OR ASNs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 09:00
L7	3	((tag OR tags) near3 (entry OR entries)) WITH ((virtual ADJ address\$3) WITH L6)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:11
L17	1	("5226133").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/19 11:11
L18	9532	(compar\$3 OR correlat\$3 OR examin\$3 OR inspect\$3 OR match\$3) near4 valid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:46
L19	4435	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:28
L20	26	(L6 WITH L18) AND L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:46
L21	30	(L6 SAME L18) AND L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:34
L22	4	(L6 SAME L18) AND L19 NOT L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:34
L23	13208	(input\$4 OR provid\$3 OR supply OR supplying OR suppli\$2) near4 valid	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:45
L24	2	(L6 WITH L23) AND L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:40
L25	4	(L6 SAME L23) AND L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:42
L26	32	(L6 AND L23) AND L19 NOT L25	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:55
L27	13313	(compar\$3 OR correlat\$3 OR examin\$3 OR inspect\$3 OR match\$3) near4 (valid OR validation OR validity)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:15
L28	2	(L6 WITH L27) AND L19 NOT (L20)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:47

L29	0	(L6 SAME L27) AND L19 NOT (L20 OR L21 OR L28)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:16
L30	17122	(input\$4 OR provid\$3 OR supply OR supplying OR suppli\$2) near4 (valid OR validation OR validity)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:24
L31	0	(L6 WITH L30) AND L19 NOT (L24)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:56
L32	0	(L6 SAME L30) AND L19 NOT (L24 OR L25)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:56
L33	34	(L6 AND L30) AND L19 NOT (L24 OR L25)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:24
L34	1	(compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) near4 ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1)) near4 (float\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:14
L35	1	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) near4 ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) near4 (float\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:14
L36	1	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) near4 ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) WITH (float\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:14
L37	2	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) WITH ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) WITH (float\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:15
L38	9	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) WITH ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) SAME (float\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:15
L39	7	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) WITH ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) SAME (float\$3) AND L19	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:16
L40	8	((compar\$4 correlat\$3 examin\$3 inspect\$3 match\$3) SAME ((virtual ADJ address) OR VPN OR (virtual ADJ page\$1))) SAME (float\$3) AND L19 NOT L39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 12:16
L41	26714	(compar\$3 OR correlat\$3 OR examin\$3 OR inspect\$3 OR match\$3) WITH (valid OR validation OR validity)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:10

L42	26	(L6 SAME L41) AND L19 NOT (L20 OR L21 OR L28)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:10
L43	32074	(input\$4 OR provid\$3 OR supply OR supplying OR suppli\$2) WITH (valid OR validation OR validity)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:24
L44	36	(L6 AND L43) AND L19 NOT (L24 OR L25 OR L33)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 14:25
L45	28186	(compar\$3 OR correlat\$3 OR examin\$3 OR inspect\$3 OR match\$3 OR hit OR miss) WITH (valid OR validation OR validity)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:10
L46	3	(L6 SAME L45) AND L19 NOT (L20 OR L21 OR L28 OR L42)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:20
L47	0	L19 AND (circuit\$1).drwd.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:22
L49	952	L19 AND (schematic\$1).drwd.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:26
L50	111	L49 AND L6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:26
L51	3708	((711/200) or (711/202) or (711/203) or (711/205-208) or (711/210)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/19 15:27
L52	23	L49 AND L6 AND L51	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 15:46
L53	1	("5758112").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/19 15:46
L54	3	("6266755").URPN.	USPAT	OR	ON	2005/12/19 15:47
L55	17	("4473878" "4812969" "4953073" "5226133" "5237671" "5263140" "5325507" "5396448" "5420992" "5526504" "5572704" "5574877" "5604909" "5619672" "5632025" "5740402" "5954815").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 15:48
S1	6	masui-norio.in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:18
S2	2	"20040098559"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/12/15 12:18

S3	6050	(711/2??).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/15 12:18
S4	3708	((711/200) or (711/202) or (711/203) or (711/205-208) or (711/210)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/15 13:28
S5	4435	TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 11:27
S6	3708	((711/200) or (711/202) or (711/203) or (711/205-208) or (711/210)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/16 12:19
S7	910	S5 AND S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:21
S8	498	(TLB OR (translation ADJ (lookaside OR look-aside) ADJ buffer\$3)).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:21
S9	353	S8 AND S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:22
S10	864	((data OR datum OR (physical ADJ address\$3)) near3 (entry OR entries)) WITH ((tag OR tags OR (virtual ADJ address\$3) OR ASID OR ASIDs OR (address ADJ space ADJ identifier\$1)) near3 (entry OR entries))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:51
S11	108	S10 AND S7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:49
S12	753	((data OR datum OR (physical ADJ address\$3)) near3 (entry OR entries)) WITH ((tag OR tags) near3 (entry OR entries))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:52
S13	163	((tag OR tags) near3 (entry OR entries)) WITH ((virtual ADJ address\$3) OR ASID OR ASIDs OR (address ADJ space ADJ identifier\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 15:33
S14	39	S12 SAME S13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 12:53
S15	13	S14 AND S7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 14:46
S16	2	((("5263140") or ("5319590")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/12/16 14:47

S17	2	((tag OR tags) near3 (entry OR entries)) WITH ((virtual ADJ address\$3) WITH (ASID OR ASIDs OR (address ADJ space ADJ identifier\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 16:10
S19	5	("4622653" "4942521" "5226133" "5263140" "5287475").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 16:06
S20	2	((tag OR tags) near3 (entry OR entries)) WITH ((virtual ADJ address\$3) WITH (ASID OR ASIDs OR (address ADJ space ADJ identifier\$1) OR (process ADJ (identification\$1 OR ID OR IDs)) OR PID OR PIDs))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 16:31
S21	7	("5574877").URPN.	USPAT	OR	ON	2005/12/16 16:17
S22	2834973	(ASID OR ASIDs OR (address ADJ space ADJ (identifier\$1)OR number\$1) OR (process ADJ (identification\$1 OR ID OR IDs)) OR PID OR PIDs OR ASN OR ASNs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 09:00
S24	40	((tag OR tags) near3 (entry OR entries)) WITH ((virtual ADJ address\$3) WITH S22)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/19 09:00
S25	34	S24 AND S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/12/16 16:34